

31-Mar-2008

Cleckheaton

**Local Targets** - Fire Authority strategic targets set using a performance baseline of 2001/02 (False alarm apparatus and malicious baseline of 2002/03)

**Service Delivery Agreement (SDA)** - National Targets set by ODPM using a baseline of 1998/99 for fire related deaths and 2001/02 for deliberate fires

Totals for current reporting period covering 12 months						
Targets		Total for current period	Total during same period last year	Cause		
Total occurrences	Deliberately caused			Accidental	Deliberate	
Primary Fires	120	75	95	96	35 = 37%	60 = 63%
Secondary Fires	175	124	194	144	21 = 11%	173 = 89%
Total - All Fires	295	199	289	240	56 = 19%	233 = 81%
False Alarm due to apparatus (commercial)	122		70	140		
False Alarm due to apparatus (domestic)	10		116	57		
False Alarm Good Intent			103	94		
False Alarm Malicious	22		22	17		22
Fires Caused deliberately		199	233	180		
Special Service Calls			100	63		
Total emergency responses	622		700	611		

**Primary Fires by Premises Use**

Agricultural	1	1	1	1	0 = 0%	1 = 100%
Commercial	0	0	1	0	0 = 0%	1 = 100%
Dwellings	12	1	10	11	7 = 70%	3 = 30%
Further Education	0	0	0	1	0 = 0%	0 = 0%
Hospitals	0	0	0	0	0 = 0%	0 = 0%
Hotels	0	0	0	0	0 = 0%	0 = 0%
Houses converted to flats	0	0	1	1	1 = 100%	0 = 0%
Industrial	6	2	2	5	2 = 100%	0 = 0%
Licensed	0	0	1	0	1 = 100%	0 = 0%
Other	8	6	5	3	3 = 60%	2 = 40%
Sports Grounds etc	0	0	1	0	0 = 0%	1 = 100%
Other sleeping accommodation	0	0	0	0	0 = 0%	0 = 0%
Post box	1	1	0	0	0 = 0%	0 = 0%
Private Garage	2	2	0	3	0 = 0%	0 = 0%
Private shed/greenhouse	2	2	8	3	1 = 13%	7 = 88%
Public Buildings	1	1	0	0	0 = 0%	0 = 0%
Residential Care Homes	2	1	0	1	0 = 0%	0 = 0%
Road Vehicles	84	76	55	55	12 = 22%	43 = 78%
Schools	3	2	0	1	0 = 0%	0 = 0%
Sheltered Housing	7	2	9	10	8 = 89%	1 = 11%
Shops	2	1	1	0	0 = 0%	1 = 100%
Telephone Kiosks	0	0	0	1	0 = 0%	0 = 0%

**Secondary Fires by Premises Use**

Bonfires	23	19	21	12	6 = 29%	15 = 71%
Chimney - Residential	2	0	1	0	1 = 100%	0 = 0%
Chimney - Non Residential	0	0	0	0	0 = 0%	0 = 0%
Derelict Vehicles	9	7	1	2	0 = 0%	1 = 100%
Grassland/Heathland	30	17	18	32	4 = 22%	14 = 78%
Intentional Stubble Burning	0	0	2	2	1 = 50%	1 = 50%
Refuse/Refuse Containers	75	57	113	72	7 = 6%	106 = 94%
Derelict Building/Under Demolition	18	15	14	11	1 = 7%	13 = 93%
Trees/Fences etc	18	10	24	13	1 = 4%	23 = 96%

Total Fire Deaths			1	0	0 = 0%	1 = 100%
Dwelling Fire Deaths	0		1	0	0 = 0%	1 = 100%
Total Injuries exc PCU	5	0	5	1	3 = 60%	2 = 40%
Dwelling Fire Injuries exc PCU	4	0	5	1	3 = 60%	2 = 40%

Key to performance	
Performance is more than 10% above the standard required to achieve the target	
Performance is within + or - 10% from the standard required to achieve the target	
Performance is more than 10% below the standard required to achieve the target	