

31-Mar-2008

Dewsbury

**Local Targets** - Fire Authority strategic targets set using a performance baseline of 2001/02 (False alarm apparatus and malicious baseline of 2002/03)

**Service Delivery Agreement (SDA)** - National Targets set by ODPM using a baseline of 1998/99 for fire related deaths and 2001/02 for deliberate fires

Totals for current reporting period covering 12 months						
Targets		Total for current period	Total during same period last year	Cause		
Total occurrences	Deliberately caused			Accidental	Deliberate	
Primary Fires	245	154	133	143	56 = 42%	77 = 58%
Secondary Fires	351	256	382	401	42 = 11%	340 = 89%
Total - All Fires	596	410	515	544	98 = 19%	417 = 81%
False Alarm due to apparatus (commercial)	279		223	273		
False Alarm due to apparatus (domestic)	9		74	22		
False Alarm Good Intent			197	158		
False Alarm Malicious	75		58	60		58
Fires Caused deliberately		410	417	420		
Special Service Calls			97	89		
Total emergency responses	1215		1164	1146		

**Primary Fires by Premises Use**

Agricultural	0	0	0	1	0 =	0 =
Commercial	0	0	1	2	0 = 0%	1 = 100%
Dwellings	30	7	24	29	17 = 71%	7 = 29%
Further Education	0	0	1	0	0 = 0%	1 = 100%
Hospitals	1	1	0	2	0 =	0 =
Hotels	0	0	0	0	0 =	0 =
Houses converted to flats	1	0	0	0	0 =	0 =
Industrial	9	3	10	7	7 = 70%	3 = 30%
Licensed	2	1	2	1	1 = 50%	1 = 50%
Other	10	9	7	12	2 = 29%	5 = 71%
Sports Grounds etc	2	2	0	2	0 =	0 =
Other sleeping accommodation	1	0	0	1	0 =	0 =
Post box	4	4	2	0	0 = 0%	2 = 100%
Private Garage	3	3	6	5	2 = 33%	4 = 67%
Private shed/greenhouse	3	2	5	3	1 = 20%	4 = 80%
Public Buildings	3	1	0	1	0 =	0 =
Residential Care Homes	2	1	0	1	0 =	0 =
Road Vehicles	120	108	51	55	9 = 18%	42 = 82%
Schools	2	2	1	1	1 = 100%	0 = 0%
Sheltered Housing	26	9	20	15	15 = 75%	5 = 25%
Shops	6	3	3	5	1 = 33%	2 = 67%
Telephone Kiosks	0	0	0	0	0 =	0 =

**Secondary Fires by Premises Use**

Bonfires	34	20	38	48	7 = 18%	31 = 82%
Chimney - Residential	1	0	3	1	3 = 100%	0 = 0%
Chimney - Non Residential	0	0	1	0	0 = 0%	1 = 100%
Derelict Vehicles	19	17	5	6	1 = 20%	4 = 80%
Grassland/Heathland	85	61	57	89	8 = 14%	49 = 86%
Intentional Stubble Burning	2	0	0	0	0 =	0 =
Refuse/Refuse Containers	170	129	224	199	15 = 7%	209 = 93%
Derelict Building/Under Demolition	17	12	20	15	2 = 10%	18 = 90%
Trees/Fences etc	22	19	34	43	6 = 18%	28 = 82%

Total Fire Deaths			0	1	0 =	0 =
Dwelling Fire Deaths	0		0	1	0 =	0 =
Total Injuries exc PCU	12	1	5	7	4 = 80%	1 = 20%
Dwelling Fire Injuries exc PCU	11	1	4	6	4 = 100%	0 = 0%

**Key to performance**  
 Performance is **more than 10% above** the standard required to achieve the target  
 Performance is **within + or - 10%** from the standard required to achieve the target  
 Performance is **more than 10% below** the standard required to achieve the target