

31-Mar-2008

Fairweather Green

Local Targets - Fire Authority strategic targets set using a performance baseline of 2001/02 (False alarm apparatus and malicious baseline of 2002/03)

Service Delivery Agreement (SDA) - National Targets set by ODPM using a baseline of 1998/99 for fire related deaths and 2001/02 for deliberate fires

Totals for current reporting period covering 12 months					
Targets		Total for current period	Total during same period last year	Cause	
Total occurrences	Deliberately caused			Accidental	Deliberate
Primary Fires	491	398	308	271	90 = 29%
Secondary Fires	684	603	702	499	47 = 7%
Total - All Fires	1175	1001	1010	770	137 = 14%
False Alarm due to apparatus (commercial)	347		245	310	
False Alarm due to apparatus (domestic)	32		334	230	
False Alarm Good Intent			283	187	
False Alarm Malicious	112		105	75	105
Fires Caused deliberately		1001	873	622	
Special Service Calls			136	107	
Total emergency responses	2053		2113	1679	

Primary Fires by Premises Use

Agricultural	1	1	1	1	0 = 0%	1 = 100%
Commercial	0	0	3	0	0 = 0%	3 = 100%
Dwellings	64	13	44	66	29 = 66%	15 = 34%
Further Education	2	1	1	1	0 = 0%	1 = 100%
Hospitals	7	6	4	5	1 = 25%	3 = 75%
Hotels	0	0	0	0	0 = 0%	0 = 0%
Houses converted to flats	3	1	0	4	0 = 0%	0 = 0%
Industrial	7	2	3	2	3 = 100%	0 = 0%
Licensed	2	0	0	1	0 = 0%	0 = 0%
Other	12	8	10	8	2 = 20%	8 = 80%
Sports Grounds etc	1	1	0	2	0 = 0%	0 = 0%
Other sleeping accommodation	0	0	0	1	0 = 0%	0 = 0%
Post box	2	2	3	2	0 = 0%	3 = 100%
Private Garage	8	8	9	10	1 = 11%	8 = 89%
Private shed/greenhouse	4	4	11	12	2 = 18%	9 = 82%
Public Buildings	1	1	2	2	0 = 0%	2 = 100%
Residential Care Homes	0	0	3	2	1 = 33%	2 = 67%
Road Vehicles	281	265	175	120	20 = 11%	155 = 89%
Schools	6	5	2	2	1 = 50%	1 = 50%
Sheltered Housing	25	5	31	26	27 = 87%	4 = 13%
Shops	1	0	6	4	3 = 50%	3 = 50%
Telephone Kiosks	0	0	0	0	0 = 0%	0 = 0%

Secondary Fires by Premises Use

Bonfires	65	55	66	63	7 = 11%	59 = 89%
Chimney - Residential	1	0	5	0	5 = 100%	0 = 0%
Chimney - Non Residential	0	0	0	0	0 = 0%	0 = 0%
Derelict Vehicles	44	43	9	11	2 = 22%	7 = 78%
Grassland/Heathland	80	65	46	70	3 = 7%	43 = 93%
Intentional Stubble Burning	6	5	1	2	0 = 0%	1 = 100%
Refuse/Refuse Containers	390	352	460	277	19 = 4%	441 = 96%
Derelict Building/Under Demolition	36	36	49	19	1 = 2%	48 = 98%
Trees/Fences etc	61	53	66	57	10 = 15%	56 = 85%

Total Fire Deaths			2	0	1 = 50%	1 = 50%
Dwelling Fire Deaths	2		2	0	1 = 50%	1 = 50%
Total Injuries exc PCU	16	2	8	12	6 = 75%	2 = 25%
Dwelling Fire Injuries exc PCU	15	1	6	9	4 = 67%	2 = 33%

Key to performance

Performance is more than 10% above the standard required to achieve the target

Performance is within + or - 10% from the standard required to achieve the target

Performance is more than 10% below the standard required to achieve the target