

31-Mar-2008

Halifax

Totals for current reporting period covering 12 months						
Local Targets - Fire Authority strategic targets set using a performance baseline of 2001/02 (False alarm apparatus and malicious baseline of 2002/03)		Total for current period	Total during same period last year	Cause		
Total occurrences	Deliberately caused			Accidental	Deliberate	
Service Delivery Agreement (SDA) - National Targets set by ODPM using a baseline of 1998/99 for fire related deaths and 2001/02 for deliberate fires						
Primary Fires	449	321	169	212	66 = 39%	103 = 61%
Secondary Fires	468	388	390	465	36 = 9%	354 = 91%
Total - All Fires	917	709	559	677	102 = 18%	457 = 82%
False Alarm due to apparatus (commercial)	370		198	299		
False Alarm due to apparatus (domestic)	15		128	61		
False Alarm Good Intent			170	183		
False Alarm Malicious	85		56	107		56
Fires Caused deliberately		709	457	529		
Special Service Calls			127	135		
Total emergency responses	1761		1238	1462		

Primary Fires by Premises Use						
Agricultural	1	1	1	1	0 = 0%	1 = 100%
Commercial	5	2	3	3	1 = 33%	2 = 67%
Dwellings	28	8	25	41	19 = 76%	6 = 24%
Further Education	1	1	1	0	0 = 0%	1 = 100%
Hospitals	2	1	0	1	0 = 0%	0 = 0%
Hotels	0	0	1	0	1 = 100%	0 = 0%
Houses converted to flats	5	1	1	4	0 = 0%	1 = 100%
Industrial	13	6	10	13	7 = 70%	3 = 30%
Licensed	9	3	2	4	2 = 100%	0 = 0%
Other	8	5	15	13	2 = 13%	13 = 87%
Sports Grounds etc	0	0	1	0	0 = 0%	1 = 100%
Other sleeping accommodation	0	0	0	0	0 = 0%	0 = 0%
Post box	0	0	1	0	0 = 0%	1 = 100%
Private Garage	3	0	2	2	2 = 100%	0 = 0%
Private shed/greenhouse	1	1	2	0	0 = 0%	2 = 100%
Public Buildings	1	0	2	2	0 = 0%	2 = 100%
Residential Care Homes	1	1	0	2	0 = 0%	0 = 0%
Road Vehicles	205	189	80	89	16 = 20%	64 = 80%
Schools	2	2	1	0	0 = 0%	1 = 100%
Sheltered Housing	32	9	17	27	14 = 82%	3 = 18%
Shops	6	3	4	10	2 = 50%	2 = 50%
Telephone Kiosks	1	1	0	0	0 = 0%	0 = 0%

Secondary Fires by Premises Use						
Bonfires	53	40	46	40	5 = 11%	41 = 89%
Chimney - Residential	5	0	3	4	2 = 67%	1 = 33%
Chimney - Non Residential	0	0	0	0	0 = 0%	0 = 0%
Derelict Vehicles	19	18	4	7	0 = 0%	4 = 100%
Grassland/Heathland	47	33	41	125	7 = 17%	34 = 83%
Intentional Stubble Burning	2	2	1	3	0 = 0%	1 = 100%
Refuse/Refuse Containers	263	226	237	227	18 = 8%	219 = 92%
Derelict Building/Under Demolition	58	58	28	24	0 = 0%	28 = 100%
Trees/Fences etc	21	17	30	35	4 = 13%	26 = 87%

Total Fire Deaths			0	1	0 = 0%	0 = 0%
Dwelling Fire Deaths	0		0	1	0 = 0%	0 = 0%
Total Injuries exc PCU	10	0	10	12	10 = 100%	0 = 0%
Dwelling Fire Injuries exc PCU	8	0	8	12	8 = 100%	0 = 0%

Key to performance
Performance is more than 10% above the standard required to achieve the target
Performance is within + or - 10% from the standard required to achieve the target
Performance is more than 10% below the standard required to achieve the target